



## Causes of Maternal Deaths

HMIS – 2013 – 14



| <b>India - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 178 )</b>   |                |  |
|--|----------------|--|
| Estimated Population - 2013  | 1,26,53,09,041 |  |
| CBR - SRS - 2013   | 21.4           |  |
| Estimated Live Births  | 2,70,77,613    |  |
| Reported Maternal Deaths   | 10,180         |  |
| Maternal Deaths per 100000 Estimated live Births   | 38             |  |
|  | Total          | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 506            | 5.0%                                       |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 550            | 5.4%                                       |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 1119           | 11.0%                                      |
| Maternal deaths with the probable cause being Bleeding   | 1558           | 15.3%                                      |
| Maternal deaths with the probable cause being High Fever   | 392            | 3.9%                                       |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 6055           | 59.5%                                      |

| <b>Andhra Pradesh - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 110 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 8,71,49,770 |  |
| CBR - SRS - 2013   | 17.4        |  |
| Estimated Live Births  | 15,16,406   |  |
| Reported Maternal Deaths   | -           |  |
| Maternal Deaths per 100000 Estimated live Births   | 0           |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 0           | #DIV/0!                                    |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0           | #DIV/0!                                    |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 0           | #DIV/0!                                    |
| Maternal deaths with the probable cause being Bleeding   | 0           | #DIV/0!                                    |
| Maternal deaths with the probable cause being High Fever   | 0           | #DIV/0!                                    |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 0           | #DIV/0!                                    |

| Arunachal Pradesh - Causes of Maternal Deaths - HMIS - 2013- 14  |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 14,41,716 |  |
| CBR - SRS - 2013   | 19.3      |  |
| Estimated Live Births  | 27,825    |  |
| Reported Maternal Deaths   | 9         |  |
| Maternal Deaths per 100000 Estimated live Births   | 32        |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 0         | 0%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0         | 0%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 2         | 22%  |
| Maternal deaths with the probable cause being Bleeding   | 1         | 11%  |
| Maternal deaths with the probable cause being High Fever   | 0         | 0%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 6         | 67%  |

| Assam - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 328 )  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 3,25,46,558 |  |
| CBR - SRS - 2013   | 22.4        |  |
| Estimated Live Births  | 7,29,043    |  |
| Reported Maternal Deaths   | 803         |  |
| Maternal Deaths per 100000 Estimated live Births   | 110         |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 24          | 3%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 28          | 3%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 102         | 13%  |
| Maternal deaths with the probable cause being Bleeding   | 129         | 16%  |
| Maternal deaths with the probable cause being High Fever   | 22          | 3%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 498         | 62%  |

| <b>Bihar - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 219 )</b>   |              |  |
|--|--------------|--|
| Estimated Population - 2013  | 10,87,97,471 |  |
| CBR - SRS - 2013   | 27.6         |  |
| Estimated Live Births  | 30,02,810    |  |
| Reported Maternal Deaths   | 427          |  |
| Maternal Deaths per 100000 Estimated live Births   | 14           |  |
|  | Total        | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 14           | 3%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 18           | 4%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 22           | 5%   |
| Maternal deaths with the probable cause being Bleeding   | 54           | 13%  |
| Maternal deaths with the probable cause being High Fever   | 17           | 4%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 302          | 71%  |

| <b>Chhattisgarh - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 230 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 2,67,40,207 |  |
| CBR - SRS - 2013   | 24.4        |  |
| Estimated Live Births  | 6,52,461    |  |
| Reported Maternal Deaths   | 433         |  |
| Maternal Deaths per 100000 Estimated live Births   | 66          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 17          | 4%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 30          | 7%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 56          | 13%  |
| Maternal deaths with the probable cause being Bleeding   | 64          | 15%  |
| Maternal deaths with the probable cause being High Fever   | 22          | 5%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 244         | 56%  |

| Goa - Causes of Maternal Deaths - HMIS - 2013- 14  |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 15,96,502 |  |
| CBR - SRS - 2013   | 13        |  |
| Estimated Live Births  | 20,755    |  |
| Reported Maternal Deaths   | 6         |  |
| Maternal Deaths per 100000 Estimated live Births   | 29        |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 0         | 0%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0         | 0%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 0         | 0%   |
| Maternal deaths with the probable cause being Bleeding   | 2         | 33%  |
| Maternal deaths with the probable cause being High Fever   | 0         | 0%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 4         | 67%  |

| Gujarat - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 122 )  |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 63,18,967 |  |
| CBR - SRS - 2013   | 20.8      |  |
| Estimated Live Births  | 1,31,435  |  |
| Reported Maternal Deaths   | 380       |  |
| Maternal Deaths per 100000 Estimated live Births   | 289       |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 5         | 1%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 9         | 2%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 23        | 6%   |
| Maternal deaths with the probable cause being Bleeding   | 48        | 13%  |
| Maternal deaths with the probable cause being High Fever   | 11        | 3%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 284       | 75%  |

| <b>Haryana - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 146 )</b>   |                    |   |
|--|--------------------|---|
| <b>Estimated Population - 2013</b>   | <b>2,67,86,490</b> |   |
| <b>CBR - SRS - 2013</b>  | <b>21.83</b>       |   |
| <b>Estimated Live Births</b>   | <b>5,84,749</b>    |   |
| <b>Reported Maternal Deaths</b>  | <b>75</b>          |   |
| <b>Maternal Deaths per 100000 Estimated live Births</b>  | <b>13</b>          |   |
|  | <b>Total</b>       | <b>%ge against Total Maternal deaths reported</b> |
| Maternal deaths with the probable cause being Abortion   | 1                  | 1%  |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 2                  | 3%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 4                  | 5%  |
| Maternal deaths with the probable cause being Bleeding   | 16                 | 21%   |
| Maternal deaths with the probable cause being High Fever   | 2                  | 3%  |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 50                 | 67%   |

| <b>Himachal Pradesh - Causes of Maternal Deaths - HMIS - 2013- 14</b>  |                  |   |
|--|------------------|---|
| <b>Estimated Population - 2013</b>   | <b>70,84,589</b> |   |
| <b>CBR - SRS - 2013</b>  | <b>16</b>        |   |
| <b>Estimated Live Births</b>   | <b>1,13,353</b>  |   |
| <b>Reported Maternal Deaths</b>  | <b>32</b>        |   |
| <b>Maternal Deaths per 100000 Estimated live Births</b>  | <b>28</b>        |   |
|  | <b>Total</b>     | <b>%ge against Total Maternal deaths reported</b> |
| Maternal deaths with the probable cause being Abortion   | 1                | 3%  |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0                | 0%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 6                | 19%   |
| Maternal deaths with the probable cause being Bleeding   | 10               | 31%   |
| Maternal deaths with the probable cause being High Fever   | 1                | 3%  |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 14               | 44%   |

| <b>Jammu &amp; Kashmir - Causes of Maternal Deaths - HMIS - 2013- 14</b>   |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 1,30,79,312 |  |
| CBR - SRS - 2013   | 17.5        |  |
| Estimated Live Births  | 2,28,888    |  |
| Reported Maternal Deaths   | 25          |  |
| Maternal Deaths per 100000 Estimated live Births   | 11          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 1           | 4%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 5           | 20%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 5           | 20%  |
| Maternal deaths with the probable cause being Bleeding   | 5           | 20%  |
| Maternal deaths with the probable cause being High Fever   | 0           | 0%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 9           | 36%  |

| <b>Jharkhand - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 219 )</b>   |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 3,45,74,141 |  |
| CBR - SRS - 2013   | 24.6        |  |
| Estimated Live Births  | 8,50,524    |  |
| Reported Maternal Deaths   | 388         |  |
| Maternal Deaths per 100000 Estimated live Births   | 46          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 20          | 5%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 51          | 13%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 50          | 13%  |
| Maternal deaths with the probable cause being Bleeding   | 55          | 14%  |
| Maternal deaths with the probable cause being High Fever   | 25          | 6%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 187         | 48%  |



| <b>Karnataka - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 144 )</b>   |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 6,32,41,309 |  |
| CBR - SRS - 2013   | 18.3        |  |
| Estimated Live Births  | 11,57,316   |  |
| Reported Maternal Deaths   | 528         |  |
| Maternal Deaths per 100000 Estimated live Births   | 46          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 7           | 1%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 62          | 12%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 83          | 16%  |
| Maternal deaths with the probable cause being Bleeding   | 53          | 10%  |
| Maternal deaths with the probable cause being High Fever   | 38          | 7%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 285         | 54%  |

| <b>Kerala - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 66 )</b>   |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 3,41,82,062 |  |
| CBR - SRS - 2013   | 14.7        |  |
| Estimated Live Births  | 5,02,476    |  |
| Reported Maternal Deaths   | 1           |  |
| Maternal Deaths per 100000 Estimated live Births   | 0           |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 1           | 100%                                       |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0           | 0%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 0           | 0%   |
| Maternal deaths with the probable cause being Bleeding   | 0           | 0%   |
| Maternal deaths with the probable cause being High Fever   | 0           | 0%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 0           | 0%   |



| <b>Madhya Pradesh - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 230 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 7,66,30,797 |  |
| CBR - SRS - 2013   | 26.3        |  |
| Estimated Live Births  | 20,15,390   |  |
| Reported Maternal Deaths   | 737         |  |
| Maternal Deaths per 100000 Estimated live Births   | 37          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 20          | 3%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 30          | 4%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 85          | 12%  |
| Maternal deaths with the probable cause being Bleeding   | 140         | 19%  |
| Maternal deaths with the probable cause being High Fever   | 41          | 6%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 421         | 57%  |

| <b>Maharashtra - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 87 )</b>  |              |  |
|--|--------------|--|
| Estimated Population - 2013  | 11,76,21,347 |  |
| CBR - SRS - 2013   | 16.5         |  |
| Estimated Live Births  | 19,40,752    |  |
| Reported Maternal Deaths   | 1,131        |  |
| Maternal Deaths per 100000 Estimated live Births   | 58           |  |
|  | Total        | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 291          | 26%  |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 101          | 9%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 72           | 6%   |
| Maternal deaths with the probable cause being Bleeding   | 98           | 9%   |
| Maternal deaths with the probable cause being High Fever   | 39           | 3%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 530          | 47%  |

| <b>Manipur - Causes of Maternal Deaths - HMIS - 2013- 14</b>   |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 29,72,786 |  |
| CBR - SRS - 2013   | 14.7      |  |
| Estimated Live Births  | 43,700    |  |
| Reported Maternal Deaths   | 19        |  |
| Maternal Deaths per 100000 Estimated live Births   | 43        |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 0         | 0%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 5         | 26%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 2         | 11%  |
| Maternal deaths with the probable cause being Bleeding   | 3         | 16%  |
| Maternal deaths with the probable cause being High Fever   | 1         | 5%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 8         | 42%  |

| <b>Meghalaya - Causes of Maternal Deaths - HMIS - 2013- 14</b>   |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 30,87,884 |  |
| CBR - SRS - 2013   | 23.9      |  |
| Estimated Live Births  | 73,800    |  |
| Reported Maternal Deaths   | 241       |  |
| Maternal Deaths per 100000 Estimated live Births   | 327       |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 2         | 1%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 19        | 8%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 12        | 5%   |
| Maternal deaths with the probable cause being Bleeding   | 59        | 24%  |
| Maternal deaths with the probable cause being High Fever   | 12        | 5%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 137       | 57%  |

| Mizoram - Causes of Maternal Deaths - HMIS - 2013- 14  |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 11,42,215 |  |
| CBR - SRS - 2013   | 16.1      |  |
| Estimated Live Births  | 18,390    |  |
| Reported Maternal Deaths   | 17        |  |
| Maternal Deaths per 100000 Estimated live Births   | 92        |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 1         | 6%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 2         | 12%  |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 3         | 18%  |
| Maternal deaths with the probable cause being Bleeding   | 5         | 29%  |
| Maternal deaths with the probable cause being High Fever   | 1         | 6%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 5         | 29%  |

| Nagaland - Causes of Maternal Deaths - HMIS - 2013- 14   |           |                     |
|--|-----------|---------------------|
| Estimated Population - 2013  | 20,59,482 |                     |
| CBR - SRS - 2013   | 15.4      |                     |
| Estimated Live Births  | 31,716    |                     |
| Reported Maternal Deaths   | 13        |                     |
| Maternal Deaths per 100000 Estimated live Births   | 41        |                     |
|  | Total     | %ge against Total M |
| Maternal deaths with the probable cause being Abortion   | 1         |                     |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0         |                     |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 0         |                     |
| Maternal deaths with the probable cause being Bleeding   | 3         | 2                   |
| Maternal deaths with the probable cause being High Fever   | 3         | 2                   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 6         | 4                   |

| <b>Odisha - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 235 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 4,32,28,228 |  |
| CBR - SRS - 2013   | 19.6        |  |
| Estimated Live Births  | 8,47,273    |  |
| Reported Maternal Deaths   | 589         |  |
| Maternal Deaths per 100000 Estimated live Births   | 70          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 5           | 1%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 24          | 4%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 53          | 9%   |
| Maternal deaths with the probable cause being Bleeding   | 142         | 24%  |
| Maternal deaths with the probable cause being High Fever   | 18          | 3%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 347         | 59%  |

| <b>Punjab - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 155 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 2,87,76,350 |  |
| CBR - SRS - 2013   | 15.7        |  |
| Estimated Live Births  | 4,51,789    |  |
| Reported Maternal Deaths   | 156         |  |
| Maternal Deaths per 100000 Estimated live Births   | 35          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 2           | 1%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 3           | 2%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 22          | 14%  |
| Maternal deaths with the probable cause being Bleeding   | 12          | 8%   |
| Maternal deaths with the probable cause being High Fever   | 3           | 2%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 114         | 73%  |

| <b>Rajasthan - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 255 )</b>   |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 7,22,28,457 |  |
| CBR - SRS - 2013   | 25.6        |  |
| Estimated Live Births  | 18,49,048   |  |
| Reported Maternal Deaths   | 908         |  |
| Maternal Deaths per 100000 Estimated live Births   | 49          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 42          | 5%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 35          | 4%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 58          | 6%   |
| Maternal deaths with the probable cause being Bleeding   | 205         | 23%  |
| Maternal deaths with the probable cause being High Fever   | 21          | 2%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 547         | 60%  |

| <b>Tamilnadu - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 90 )</b>  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 7,36,42,031 |  |
| CBR - SRS - 2013   | 15.6        |  |
| Estimated Live Births  | 11,48,816   |  |
| Reported Maternal Deaths   | 482         |  |
| Maternal Deaths per 100000 Estimated live Births   | 42          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 8           | 2%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 5           | 1%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 47          | 10%  |
| Maternal deaths with the probable cause being Bleeding   | 64          | 13%  |
| Maternal deaths with the probable cause being High Fever   | 3           | 1%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 355         | 74%  |

| Tripura - Causes of Maternal Deaths - HMIS - 2013- 14  |           |  |
|--|-----------|--|
| Estimated Population - 2013  | 38,24,914 |  |
| CBR - SRS - 2013   | 13.7      |  |
| Estimated Live Births  | 52,401    |  |
| Reported Maternal Deaths   | 42        |  |
| Maternal Deaths per 100000 Estimated live Births   | 80        |  |
|  | Total     | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 1         | 2%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 2         | 5%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 10        | 24%  |
| Maternal deaths with the probable cause being Bleeding   | 7         | 17%  |
| Maternal deaths with the probable cause being High Fever   | 1         | 2%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 21        | 50%  |

| Uttarakhand - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 292 )  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 1,05,81,306 |  |
| CBR - SRS - 2013   | 18.2        |  |
| Estimated Live Births  | 1,92,580    |  |
| Reported Maternal Deaths   | 50          |  |
| Maternal Deaths per 100000 Estimated live Births   | 26          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 0           | 0%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 0           | 0%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 13          | 26%  |
| Maternal deaths with the probable cause being Bleeding   | 4           | 8%   |
| Maternal deaths with the probable cause being High Fever   | 7           | 14%  |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 26          | 52%  |

| Uttar Pradesh - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 292 )  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 2,11,93,363 |  |
| CBR - SRS - 2013   | 27.2        |  |
| Estimated Live Births  | 5,76,459    |  |
| Reported Maternal Deaths   | 636         |  |
| Maternal Deaths per 100000 Estimated live Births   | 110         |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 10          | 2%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 47          | 7%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 92          | 14%  |
| Maternal deaths with the probable cause being Bleeding   | 91          | 14%  |
| Maternal deaths with the probable cause being High Fever   | 18          | 3%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 378         | 59%  |

| West Bengal - Causes of Maternal Deaths - HMIS - 2013- 14 ( MMR = 117 )  |             |  |
|--|-------------|--|
| Estimated Population - 2013  | 9,41,56,120 |  |
| CBR - SRS - 2013   | 16          |  |
| Estimated Live Births  | 15,06,498   |  |
| Reported Maternal Deaths   | 1,059       |  |
| Maternal Deaths per 100000 Estimated live Births   | 70          |  |
|  | Total       | %ge against Total Maternal deaths reported |
| Maternal deaths with the probable cause being Abortion   | 18          | 2%   |
| Maternal deaths with the probable cause being Obstructed or prolonged labour   | 44          | 4%   |
| Maternal deaths with the probable cause being Severe hypertension or fits  | 142         | 13%  |
| Maternal deaths with the probable cause being Bleeding   | 179         | 17%  |
| Maternal deaths with the probable cause being High Fever   | 16          | 2%   |
| Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits) | 660         | 62%  |