


2013

Causes of Maternal Deaths

HMIS DATA 2012-13

National Health Systems Resource Center



India - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	1,23,03,84,560	
CBR - SRS - 2012	21.8	
Estimated Live Births	2,68,22,383	
Reported Maternal Deaths	12,341	
Maternal Deaths per 100000 Estimated live Births	46	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	442	4%
Maternal deaths with the probable cause being Obstructed or prolonged labour	586	5%
Maternal deaths with the probable cause being Severe hypertension or fits	1286	10%
Maternal deaths with the probable cause being Bleeding	1778	14%
Maternal deaths with the probable cause being High Fever	524	4%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	7725	63%

Andhra Pradesh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	8,56,15,407	
CBR - SRS - 2012	17.5	
Estimated Live Births	14,98,270	
Reported Maternal Deaths	1,046	
Maternal Deaths per 100000 Estimated live Births	70	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	20	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	35	3%
Maternal deaths with the probable cause being Severe hypertesnion or fits	99	9%
Maternal deaths with the probable cause being Bleeding	110	11%
Maternal deaths with the probable cause being High Fever	31	3%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	751	72%

Arunachal Pradesh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	14,15,738	
CBR - SRS - 2012	19.8	
Estimated Live Births	28,032	
Reported Maternal Deaths	18	
Maternal Deaths per 100000 Estimated live Births	64	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	0	0%
Maternal deaths with the probable cause being Severe hypertesnion or fits	4	22%
Maternal deaths with the probable cause being Bleeding	1	6%
Maternal deaths with the probable cause being High Fever	1	6%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	12	67%

Assam - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	3,16,62,740	
CBR - SRS - 2012	22.8	
Estimated Live Births	7,21,910	
Reported Maternal Deaths	1,101	
Maternal Deaths per 100000 Estimated live Births	153	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	25	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	65	6%
Maternal deaths with the probable cause being Severe hypertesnion or fits	127	12%
Maternal deaths with the probable cause being Bleeding	139	13%
Maternal deaths with the probable cause being High Fever	40	4%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	705	64%

Bihar - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	10,61,68,110	
CBR - SRS - 2012	27.7	
Estimated Live Births	29,40,857	
Reported Maternal Deaths	1,074	
Maternal Deaths per 100000 Estimated live Births	37	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	40	4%
Maternal deaths with the probable cause being Obstructed or prolonged labour	37	3%
Maternal deaths with the probable cause being Severe hypertesnion or fits	25	2%
Maternal deaths with the probable cause being Bleeding	85	8%
Maternal deaths with the probable cause being High Fever	37	3%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	850	79%

Chhattisgarh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	2,60,70,464	
CBR - SRS - 2012	24.9	
Estimated Live Births	6,49,155	
Reported Maternal Deaths	529	
Maternal Deaths per 100000 Estimated live Births	81	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	10	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	39	7%
Maternal deaths with the probable cause being Severe hypertesnion or fits	48	9%
Maternal deaths with the probable cause being Bleeding	76	14%
Maternal deaths with the probable cause being High Fever	39	7%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	317	60%

Goa - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	14,86,877	
CBR - SRS - 2012	13.3	
Estimated Live Births	19,775	
Reported Maternal Deaths	5	
Maternal Deaths per 100000 Estimated live Births	25	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	0	0%
Maternal deaths with the probable cause being Severe hypertesnion or fits	1	20%
Maternal deaths with the probable cause being Bleeding	2	40%
Maternal deaths with the probable cause being High Fever	0	0%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	2	40%

Gujarat - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	6,14,60,863	
CBR - SRS - 2012	21.3	
Estimated Live Births	13,09,116	
Reported Maternal Deaths	650	
Maternal Deaths per 100000 Estimated live Births	50	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	8	1%
Maternal deaths with the probable cause being Obstructed or prolonged labour	37	6%
Maternal deaths with the probable cause being Severe hypertesnion or fits	49	8%
Maternal deaths with the probable cause being Bleeding	97	15%
Maternal deaths with the probable cause being High Fever	23	4%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	436	67%

Haryana - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	2,58,34,790	
CBR - SRS - 2012	21.8	
Estimated Live Births	5,63,198	
Reported Maternal Deaths	340	
Maternal Deaths per 100000 Estimated live Births	60	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	2	1%
Maternal deaths with the probable cause being Severe hypertesnion or fits	10	3%
Maternal deaths with the probable cause being Bleeding	44	13%
Maternal deaths with the probable cause being High Fever	7	2%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	277	81%

Himachal Pradesh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	69,38,787	
CBR - SRS - 2012	16.5	
Estimated Live Births	1,14,490	
Reported Maternal Deaths	35	
Maternal Deaths per 100000 Estimated live Births	31	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	3	9%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	3%
Maternal deaths with the probable cause being Severe hypertesnion or fits	3	9%
Maternal deaths with the probable cause being Bleeding	10	29%
Maternal deaths with the probable cause being High Fever	4	11%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	14	40%

Jammu & Kashmir - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	1,28,25,002	
CBR - SRS - 2012	17.8	
Estimated Live Births	2,28,285	
Reported Maternal Deaths	35	
Maternal Deaths per 100000 Estimated live Births	15	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	3%
Maternal deaths with the probable cause being Severe hypertesnion or fits	1	3%
Maternal deaths with the probable cause being Bleeding	8	23%
Maternal deaths with the probable cause being High Fever	0	0%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	25	71%

Jharkhand - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	3,36,42,316	
CBR - SRS - 2012	25	
Estimated Live Births	8,41,058	
Reported Maternal Deaths	443	
Maternal Deaths per 100000 Estimated live Births	53	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	15	3%
Maternal deaths with the probable cause being Obstructed or prolonged labour	51	12%
Maternal deaths with the probable cause being Severe hypertesnion or fits	68	15%
Maternal deaths with the probable cause being Bleeding	53	12%
Maternal deaths with the probable cause being High Fever	30	7%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	226	51%

Karnataka - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	6,20,40,644	
CBR - SRS - 2012	18.8	
Estimated Live Births	11,66,364	
Reported Maternal Deaths	614	
Maternal Deaths per 100000 Estimated live Births	53	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	9	1%
Maternal deaths with the probable cause being Obstructed or prolonged labour	74	12%
Maternal deaths with the probable cause being Severe hypertesnion or fits	130	21%
Maternal deaths with the probable cause being Bleeding	41	7%
Maternal deaths with the probable cause being High Fever	56	9%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	304	50%

Kerala - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	3,35,46,669	
CBR - SRS - 2012	15.2	
Estimated Live Births	5,09,909	
Reported Maternal Deaths	6	
Maternal Deaths per 100000 Estimated live Births	1	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	17%
Maternal deaths with the probable cause being Severe hypertesnion or fits	1	17%
Maternal deaths with the probable cause being Bleeding	4	67%
Maternal deaths with the probable cause being High Fever	0	0%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	0	0%

Madhya Pradesh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	7,39,47,121	
CBR - SRS - 2012	26.9	
Estimated Live Births	19,89,178	
Reported Maternal Deaths	571	
Maternal Deaths per 100000 Estimated live Births	29	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	12	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	32	6%
Maternal deaths with the probable cause being Severe hypertesnion or fits	82	14%
Maternal deaths with the probable cause being Bleeding	131	23%
Maternal deaths with the probable cause being High Fever	26	5%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	288	50%

Maharashtra - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	11,40,67,506	
CBR - SRS - 2012	16.7	
Estimated Live Births	19,04,927	
Reported Maternal Deaths	1,379	
Maternal Deaths per 100000 Estimated live Births	72	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	104	8%
Maternal deaths with the probable cause being Obstructed or prolonged labour	28	2%
Maternal deaths with the probable cause being Severe hypertesnion or fits	134	10%
Maternal deaths with the probable cause being Bleeding	213	15%
Maternal deaths with the probable cause being High Fever	68	5%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	832	60%

Manipur - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	27,57,523	
CBR - SRS - 2012	14.4	
Estimated Live Births	39,708	
Reported Maternal Deaths	18	
Maternal Deaths per 100000 Estimated live Births	45	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	6%
Maternal deaths with the probable cause being Severe hypertension or fits	5	28%
Maternal deaths with the probable cause being Bleeding	5	28%
Maternal deaths with the probable cause being High Fever	1	6%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	6	33%

Meghalaya - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	30,39,344	
CBR - SRS - 2012	24.1	
Estimated Live Births	73,248	
Reported Maternal Deaths	232	
Maternal Deaths per 100000 Estimated live Births	317	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	29	13%
Maternal deaths with the probable cause being Severe hypertension or fits	16	7%
Maternal deaths with the probable cause being Bleeding	47	20%
Maternal deaths with the probable cause being High Fever	20	9%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	120	52%

Mizoram - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	11,13,327	
CBR - SRS - 2012	16.6	
Estimated Live Births	18,481	
Reported Maternal Deaths	27	
Maternal Deaths per 100000 Estimated live Births	146	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	1	4%
Maternal deaths with the probable cause being Obstructed or prolonged labour	2	7%
Maternal deaths with the probable cause being Severe hypertension or fits	2	7%
Maternal deaths with the probable cause being Bleeding	2	7%
Maternal deaths with the probable cause being High Fever	2	7%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	18	67%

Nagaland - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	19,90,505	
CBR - SRS - 2012	16.1	
Estimated Live Births	32,047	
Reported Maternal Deaths	13	
Maternal Deaths per 100000 Estimated live Births	41	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	1	8%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	8%
Maternal deaths with the probable cause being Severe hypertension or fits	1	8%
Maternal deaths with the probable cause being Bleeding	2	15%
Maternal deaths with the probable cause being High Fever	0	0%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	8	62%

Odisha - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	4,25,10,898	
CBR - SRS - 2012	20.1	
Estimated Live Births	8,54,469	
Reported Maternal Deaths	597	
Maternal Deaths per 100000 Estimated live Births	70	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	15	3%
Maternal deaths with the probable cause being Obstructed or prolonged labour	27	5%
Maternal deaths with the probable cause being Severe hypertension or fits	113	19%
Maternal deaths with the probable cause being Bleeding	186	31%
Maternal deaths with the probable cause being High Fever	25	4%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	231	39%

Punjab - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	2,80,64,391	
CBR - SRS - 2012	16.2	
Estimated Live Births	4,54,643	
Reported Maternal Deaths	209	
Maternal Deaths per 100000 Estimated live Births	46	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	4	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	4	2%
Maternal deaths with the probable cause being Severe hypertension or fits	35	17%
Maternal deaths with the probable cause being Bleeding	32	15%
Maternal deaths with the probable cause being High Fever	2	1%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	132	63%

Rajasthan - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	6,99,71,092	
CBR - SRS - 2012	26.2	
Estimated Live Births	18,33,243	
Reported Maternal Deaths	511	
Maternal Deaths per 100000 Estimated live Births	28	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	16	3%
Maternal deaths with the probable cause being Obstructed or prolonged labour	44	9%
Maternal deaths with the probable cause being Severe hypertension or fits	54	11%
Maternal deaths with the probable cause being Bleeding	106	21%
Maternal deaths with the probable cause being High Fever	10	2%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	281	55%

Tamilnadu - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	7,32,26,809	
CBR - SRS - 2012	15.9	
Estimated Live Births	11,64,306	
Reported Maternal Deaths	811	
Maternal Deaths per 100000 Estimated live Births	70	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	9	1%
Maternal deaths with the probable cause being Obstructed or prolonged labour	11	1%
Maternal deaths with the probable cause being Severe hypertension or fits	69	9%
Maternal deaths with the probable cause being Bleeding	122	15%
Maternal deaths with the probable cause being High Fever	18	2%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	582	72%

Tripura - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	37,22,820	
CBR - SRS - 2012	14.3	
Estimated Live Births	53,236	
Reported Maternal Deaths	40	
Maternal Deaths per 100000 Estimated live Births	75	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	2	5%
Maternal deaths with the probable cause being Obstructed or prolonged labour	1	3%
Maternal deaths with the probable cause being Severe hypertension or fits	7	18%
Maternal deaths with the probable cause being Bleeding	4	10%
Maternal deaths with the probable cause being High Fever	0	0%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	26	65%

Uttarakhand - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	1,02,96,933	
CBR - SRS - 2012	18.9	
Estimated Live Births	1,94,612	
Reported Maternal Deaths	22	
Maternal Deaths per 100000 Estimated live Births	11	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	0	0%
Maternal deaths with the probable cause being Obstructed or prolonged labour	0	0%
Maternal deaths with the probable cause being Severe hypertesnion or fits	2	9%
Maternal deaths with the probable cause being Bleeding	5	23%
Maternal deaths with the probable cause being High Fever	4	18%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	11	50%

Uttar Pradesh - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	20,32,86,070	
CBR - SRS - 2012	27.8	
Estimated Live Births	56,51,353	
Reported Maternal Deaths	499	
Maternal Deaths per 100000 Estimated live Births	9	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	114	23%
Maternal deaths with the probable cause being Obstructed or prolonged labour	26	5%
Maternal deaths with the probable cause being Severe hypertesnion or fits	36	7%
Maternal deaths with the probable cause being Bleeding	32	6%
Maternal deaths with the probable cause being High Fever	35	7%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	256	51%

West Bengal - Causes of Maternal Deaths - HMIS - 2012 - 13		
Estimated Population - 2012	9,25,41,954	
CBR - SRS - 2012	16.3	
Estimated Live Births	15,08,434	
Reported Maternal Deaths	1,016	
Maternal Deaths per 100000 Estimated live Births	67	
	Total	%ge against Total Maternal deaths reported
Maternal deaths with the probable cause being Abortion	25	2%
Maternal deaths with the probable cause being Obstructed or prolonged labour	30	3%
Maternal deaths with the probable cause being Severe hypertension or fits	105	10%
Maternal deaths with the probable cause being Bleeding	133	13%
Maternal deaths with the probable cause being High Fever	19	2%
Maternal deaths with the probable cause being other causes (excluding abortion; obstructed or prolonged labour; severe hypertension or fits)	704	69%