

Essential Medicines for Community Health Centre (CHC)

S. No.	Medicine Name
Anaesthetics Agent	
1.	Halothane gas for Inhalation (Protect from light and store at temperature not exceeding 25°C)
2.	Isoflurane gas for Inhalation
3.	Ketamine Injection 10 mg/ml ¹ Ketamine Injection 50 mg/ml
4.	Nitrous oxide gas for Inhalation (Store under pressure in metal cylinders of the type conforming to the appropriate safety regulations and at temperature not exceeding 37°C)
5.	Oxygen gas for Inhalation
6.	Propofol Injection 10 mg/ml ² (Should not allow to freeze)
7.	Promethazine* Injection 25 mg/ml ³ Promethazine Injection 50 mg/ml
8.	Pentazocin Injection 30 mg/ml ⁵ (Protect from light & moisture)
9.	Thiopentane Injection 0.5 gm/1gm ²
10.	Bupivacaine Injection (0.5% IP), 5 mg/ml, 20 ml vial
11.	Sevoflurane Inhalation (Only in DH)
12.	Lignocaine Injection 2% Lignocaine Injection 4% Lignocaine Jelly Lignocaine Ointment 2-5% Lignocaine Injection 5%w/v
13.	Lignocaine (A) + Adrenaline (B) Injection 1% (A) + 1:200000 (5 mcg/ml) (B) Injection 2% (A) + 1:200000 (5 mcg/ml) (B)
14.	Atropine* Injection 0.6 mg/ml Atropine Injection 1mg/ml (Protect from light)
15.	Midazolam* Injection 1 mg/ml ^{2,4} Midazolam Tablet 250 mg Midazolam Tablet 500 mg
Non-opioid analgesics, antipyretics and nonsteroidal anti-inflammatory medicines	
16.	Acetylsalicylic acid* (Aspirin) Tablet 25 mg Acetylsalicylic acid (Aspirin) Tablet 75 mg Acetylsalicylic acid (Aspirin) Tablet 150 mg Acetylsalicylic acid (Aspirin) Tablet 300 mg

S. No.	Medicine Name
17.	Diclofenac Tablet 50 mg Diclofenac Injection 25 mg/ml Diclofenac Injection 25 mg/3 ml
18.	Ibuprofen Tablet 200 mg Ibuprofen Tablet 400 mg Ibuprofen Syrup 100 mg/5 ml
19.	Paracetamol* (Acetaminophen) Tablet 500 mg, Paracetamol (Acetaminophen) Injection 150 mg/ml Paracetamol (Acetaminophen) Syrup 125 mg/5 ml Paracetamol (Acetaminophen) Syrup 120 mg/5 ml, 60 ml bottle Paracetamol Syrup 125 mg/5 ml, 60 ml bottle
20.	Mefenamic acid capsule 250 mg, 500 mg
21.	Naproxen Tablet 500 mg
22.	Tramadol Capsule 50 mg ⁴ Tramadol Capsule 100 mg Tramadol Injection 50 mg/ml
23.	Allopurinol Tablet 100 mg Allopurinol Tablet 300 mg
Opioid Analgesic agents	
24.	Morphine Tablet 10 mg ⁶ Morphine Injection 10 mg/ml
25.	Codeine Tablet 15 mg, ⁶ Codeine oral solution 15 mg/5 ml
26.	Fentanyl Injection 50 mcg/ml ⁶ (Only in DH)
27.	Methadone injection 10 mg/ml ⁶ (Only in DH)
28.	Adrenaline (Epinephrine) Injection 1 mg/ml (Protect from light, preferably in containers filled with nitrogen)
29.	Cetirizine Tablet 5 mg Cetirizine Tablet 10 mg Cetirizine Oral liquid 5 mg/5 ml
30.	Hydrocortisone sodium succinate* Injection 100 mg Hydrocortisone sodium succinate Injection 200 mg
31.	Hydroxyzine Syrup 10 mg/5ml Hydroxyzine Tablet 25 mg
32.	Pheniramine maleate Injection 22.75 mg/ml
33.	Chlorpheniramine Tablet 4 mg, 5 mg, 10 mg, 20 mg, 40 mg ³ Chlorpheniramine Oral liquid 2 mg/5 ml, 5 mg/5 ml
Antidotes and other substances used in poisoning	
34.	Activated charcoal powder (as licensed)

S. No.	Medicine Name
35.	Calcium gluconate* Injection 100 mg/ml Calcium gluconate Injection 1 gm, IV-10 ml amp
36.	Desferrioxamine Injection 500 mg (Only in DH) (Protect from light in refrigerator (2-8°C). Do not freeze)
37.	Naloxone 0.4mg/ml Injection
38.	Pralidoxime Chloride (2-PAM) 25 mg/ml Injection
39.	Neostigmine Injection 0.5 mg/ml
Anticonvulsants/Antiepileptics	
40.	Carbamazepine Tablet 100 mg, 200 mg Carbamazepine Oral liquid 100 mg/5 ml, 200 mg/5 ml
41.	Levetiracetam Tablet 250 mg Levetiracetam Tablet 500 mg
42.	Lorazepam Tablet 1 mg/2 mg ⁵ Lorazepam Injection 1 mg/ml, 2 mg/ml
43.	Magnesium sulphate Injection 500 mg/ml
44.	Phenytoin Tablet 50 mg/100 mg, 300 mg, ER Tablet 300 mg Phenytoin Oral liquid 30 mg/5 ml, 125 mg/5 ml Phenytoin Injection 25 mg/ml, 50 mg/ml
45.	Sodium valproate* Tablet 200 mg, 300 mg, 500 mg Sodium Valproate Oral Liquid 200 mg/5 ml
Intestinal Anti- helminthics medicines	
46.	Albendazole Tablet 400 mg Albendazole Oral liquid 200 mg/5 ml
47.	Diethylcarbamazine Tab 100 mg Diethylcarbamazine oral liquid 120 mg/5 ml (Protect from moisture)
48.	Ivermectin Tablet 600 mg
Anti-Fungal medicines	
49.	Clotrimazole Tablet 100 mg Clotrimazole Pessary Tablet 100 mg (Do not crush pessaries.)
50.	Fluconazole Tablet 150 mg (Store in an airtight container)
51.	Griseofulvin Tablet 125 mg, 250 mg
Anti- Bacterial and other anti-infective medicines	
52.	Ampicillin Capsule 500 mg Ampicillin Injection 500 mg/ml
53.	Amoxicillin Syrup 125 mg/5 ml Amoxicillin Tablet/capsule 250 mg Amoxicillin powder for suspension 125 mg/5 ml (Capsule, oral suspension: Store protected from moisture and light at a temperature not exceeding 30°C)

S. No.	Medicine Name
54.	Amoxicillin (A) + Clavulanic acid (B) Tablet 500 mg (A) + 125 mg (B) Tablet 875 mg (A) + 125 mg (B) Powder for Injection 500 mg (A) + 100 mg (B) Powder for Injection 1 g (A) + 200 mg (B)
55.	Penicillin V Tablet 250mg
56.	Benzathine benzylpenicillin Injection 12 lacs unit
57.	Benzyl penicillin Powder for Injection 10 lac units
58.	Cefazolin Injection 500 mg Cefazolin Injection 1 gm (The constituted solution should be stored protected from light and used within 24 hours when stored at a temperature not exceeding 30°C or within 4 days when stored between 2 to 8°)
59.	Cefixime Tablet 200 mg, 400 mg ⁴ Cefixime Oral liquid 50 mg/5 ml
60.	Cefotaxime Injection 250 mg ⁴ Cefotaxime Injection 1 g
61.	Ceftazidime Powder for Injection 250 mg ⁴ Ceftazidime Powder for Injection 1 g (Store in sterile containers sealed, so as to exclude micro-organisms protected from moisture at a temperature not exceeding 30°C)
62.	Cloxacillin Capsule 250 mg Cloxacillin oral liquid 125 mg/5 ml Cloxacillin Injection 500 mg/vial
63.	Cefuroxime 250mg tablet Cefuroxime 1g Injection
64.	Azithromycin Tablet 250 mg Azithromycin Tablet 500 mg Azithromycin Oral liquid 200 mg/5 ml
65.	Norfloxacin Dispersible Tablet 100 mg Norfloxacin Tablet 400 mg
66.	Ciprofloxacin* Tablet 250 mg, 500 mg Ciprofloxacin IV 200 mg/100 ml Ciprofloxacin Oral liquid 250 mg/5 ml
67.	Clarithromycin Tablet 500 mg
68.	Co-trimoxazole Tablet [Sulphamethoxazol (A) +Trimethoprim (B)] 400 mg (A) + 80 mg (B) 800 mg (A) + 160 mg (B) Oral liquid 200 mg (A) + 40 mg (B)/5 ml
69.	Doxycycline Tablet 100 mg Doxycycline Syrup 50 mg/5 ml

S. No.	Medicine Name
70.	Metronidazole Tablet 200 mg Metronidazole Tablet 400 mg (Protect from light and moisture. Store injection in a single dose container.)
71.	Nitrofurantoin Tablet 100 mg Nitrofurantoin Oral liquid 25 mg/5ml
72.	Amikacin Injection 100 mg ² Amikacin Injection 500 mg
73.	Clofazimine Tablet 50 mg ⁴ Clofazimine Capsule 100 mg, 200 mg
74.	Delamanid 50 mg
75.	Dapsone Tablet 25 mg Dapsone Tablet 100 mg
76.	Capreomycin Injection 500 mg, 750 mg, 1 gm ⁴
77.	Cycloserine Capsule 125 mg/250 mg ⁴
78.	Ethambutol Tablet 100 mg ⁴ Ethambutol Tablet 200 mg Ethambutol Tablet 400 mg Ethambutol Tablet 600 mg Ethambutol Tablet 800 mg
79.	Tab Ethionamide 125 mg/250 mg ⁴
80.	Isoniazid Tablet 50 mg ⁴ Isoniazid Tablet 75 mg Isoniazid Tablet 100 mg Isoniazid Tablet 300 mg Isoniazid Oral liquid 100 mg/5 ml
81.	Kanamycin Injection 500 mg ² Kanamycin Injection 750 mg Kanamycin Injection 1 gm
82.	Levofloxacin Tablet 250 mg ⁴ Levofloxacin Tablet 500 mg Levofloxacin Tablet 750 mg
83.	Linezolid Tablet 600 mg
84.	Ofloxacin Tablet 200 mg Ofloxacin Tablet 400 mg
85.	Moxifloxacin Tablet 400 mg Moxifloxacin Tablet 500 mg
86.	Sodium Amino salicylate granules 10 gm/9.2 gms ⁴ Para- amino salicylic acid Tablet 500 mg
87.	Pyrazinamide Tablet 150 mg, 400 mg, 500 mg, 750 mg ⁴ Pyrazinamide Oral liquid 250 mg/5

S. No.	Medicine Name
88.	Rifabutin Capsule 150 mg ⁴
89.	Rifampicin Tablet 75 mg ⁴ Rifampicin Capsule 150 mg, 300 mg, 450 mg, 600 mg Rifampicin Oral liquid 100 mg/5 ml
90.	Injection Streptomycin 750 mg/1000 mg ² Injection Streptomycin 500 mg
91.	Bedaquiline Tablet 100 mg
92.	Diloxanide furoate Tablet 500 mg
Anti-Viral medicines	
93.	Acyclovir Tablet 200 mg (Store tablets protected from light.)
Anti-Malarial medicines	
94.	Tab Artemether (A) + Lumefantrine (B) Tablet 20 mg (A) + 120 mg (B) Tablet 40 mg (A) + 240 mg (B) Tablet 80 mg (A) + 480 mg (B) Oral liquid 80 mg (A) + 480 mg (B)/5 ml
95.	Artesunate (A) + Sulphadoxine -Pyrimethamine (B) Combi pack (A+B) 1 Tablet 25 mg (A) + 1 Tablet (250 mg + 12.5 mg) (B) 1 Tablet 50 mg (A) + 1 Tablet 500 mg + 25 mg) (B) 1 Tablet 100 mg (A) + 1 Tablet (750 mg + 37.5 mg) (B) 1 Tablet 150 mg (A) + 2 Tablet (500 mg + 25 mg) (B) 1 Tablet 200 mg (A) + 2 Tablet (750 mg + 37.5 mg) (B)
96.	Chloroquine Tablet 150 mg Chloroquine Oral liquid 50 mg/5 ml
97.	Hydroxychloroquine tablet 200 mg, 400 mg
98.	Artesunate Powder for injection 120 mg
99.	Primaquine Tablet 2.5 mg Primaquine Tablet 7.5 mg Primaquine Tablet 15 mg (Protect from moisture)
100.	Quinine Tablet 300 mg (Protect from light)
Anti-COVID-19 Medicines	
101.	Favipiravir Tablet 200 mg, 400 mg
102.	Remdesivir Injection 100 mg/20 ml

S. No.	Medicine Name
Medicines used in palliative care	
103.	Diazepam* Tablet 5 mg ⁵ Diazepam Injection 5 mg/ml, 10 mg/2 ml Diazepam Oral liquid 2 mg/5 ml Diazepam Suppository 5 mg (Injection: store in single dose or multi dose container protected from light)
Anti-parkinsonism medicines	
104.	Levodopa (A) + Carbidopa (B) Tablet 100 mg (A) + 10 mg (B) Tablet 100 mg (A) + 25 mg (B) CR Tablet 100 mg (A) + 25 mg (B) CR Tablet 200 mg (A) + 50 (B) mg Tablet 250 mg (A) + 25 mg (B)
105.	Trihexyphenidyl Tablet 2 mg
Medicines affecting blood	
106.	Ferrous salts equivalent to 60 mg of elemental iron Oral liquid equivalent to 25 mg of elemental iron/ml
107.	Ferrous salt (A) + Folic acid (B) Tablet 45mg elemental iron (A) + 400 mcg (B) Tablet 100 mg elemental iron (A)+ 500 mcg (B) Oral liquid 20 mg elemental iron(A) + 100 mcg (B)/ml Tablet 100 mg elemental iron (A)+ 500 mcg (B) as enteric coated
108.	Folic acid Tablet 5 mg
109.	IFA syrup
110.	Hydroxyurea Capsule 500mg
111.	Iron sucrose Injection 20 mg/ml (Protect from light and store at temperature not exceeding 30°C.)
112.	Phytomenadione (Vitamin K1) Tablet 10 mg Phytomenadione (Vitamin K1) Injection 10 mg/ml (Protect from light.)
113.	Menadione Injection (Vitamin K3) 10 mg/ml (Protect from light.)
114.	Tranexamic acid Tablet 500 mg
115.	Streptokinase Injection 15 lac/vial Streptokinase Injection 7.5 lac/Vial (Store in a sealed container protected from light in refrigerator (2 to 8°C). The container should be sterile and sealed so as to exclude micro-organisms.)
116.	Heparin Sodium Injection 1000 IU ²
117.	Warfarin Tablet 1 mg ² Warfarin Tablet 2 mg Warfarin Tablet 5 mg

S. No.	Medicine Name
Cardiovascular medicines	
118.	Clopidogrel Tablet 75 mg
119.	Diltiazem Tablet 60 mg Diltiazem SR Tablet 90 mg
120.	Glyceryl trinitrate Sublingual Tablet 0.5 mg Glyceryl trinitrate 125 mg/5ml (Glyceryl trinitrate tablets are unstable) (Store protected from light and moisture in glass container of not more than 100 tablets at a temperature not exceeding 30°C.)
121.	Isosorbide dinitrate Tablet 5 mg Isosorbide dinitrate Tablet 10 mg
122.	Isosorbide-5- mononitrate Tablet 10 mg Isosorbide-5- mononitrate SR Tablet 30 mg
123.	Atenolol Tablet 50 mg/100 mg
124.	Metoprolol Tablet 25 mg Metoprolol Tablet 50 mg Metoprolol Tablet 100 mg Metoprolol SR Tablet 25 mg
125.	Propranolol Tablet 40 mg
126.	Amiodarone Tablet 100 mg
127.	Amlodipine Tablet 2.5 mg/5 mg (Protect from moisture.) Amlodipine Tablet 10 mg
128.	Indapamide Tablet 1.5 mg
129.	Chlorthalidone Tablet 12.5 mg
130.	Injection Mannitol
131.	Labetalol Injection 20 mg
132.	Methyldopa Tablet 250
133.	Enalapril Tablet 2.5 mg Enalapril Tablet 5 mg Enalapril Tablet 10 mg
134.	Captopril Tablet 25 mg
135.	Lisinopril Tablet 5 mg
136.	Telmisartan Tablet 40 mg
137.	Digoxin Tablet 250 mg
138.	Dopamine Injection 40 mg/ml (Store in an airtight container protected from light.)
139.	Noradrenaline Injection 2 mg/ml (Store in single dose containers. Store at room temperature (25°C). Store in tight, light resistant containers as it is readily oxidized. Do not use if discolored (e.g., pink, dark yellow, brown) or if there is a precipitate.)
140.	Enoxaparin Injection LMWH

S. No.	Medicine Name
141.	Atorvastatin Tablet 10 mg (Protect from moisture and store at temperature not exceeding 30°C.) Atorvastatin Tablet 40 mg
Medicines used in Dementia	
142.	Donepezil Tablet 5 mg (Protect from moisture and store at a temperature not exceeding 25°C.)
Dermatological medicines (Topical)	
143.	Clotrimazole Cream 1% Clotrimazole Oral Lotion or mouth paint: 15 ml
144.	Framycetin Cream 0.5% (Protect from light, moisture and store at temperature not exceeding 30°C. If the material is sterile, the container should be tamper-evident and sealed so as to exclude micro-organisms.)
145.	Fusidic Acid Cream 5 mg/10 gm preparation 2% or 20 mg per gram Fusidic Acid Cream 2%: 5 mg/10 mg Preparation
146.	Silver sulphadiazine Cream 2 to 4 %
147.	Miconazole Ointment or Cream 2% 15 gm preparation (Protect from light, moisture and store at temperature not exceeding 30°C. If it is packed in aluminates; the inner surface of tubes should be coated with suitable lacquer.)
148.	Betamethasone Cream 0.05%/0.1%
149.	Calamine lotion
150.	Benzoyl peroxide 2.5%/5%
151.	Coal tar solution 5%
152.	Salicylic acid Ointment 6%
153.	Gamma Benzene Hexa Chloride Lotion 100 ml (Protect from light.)
154.	Permethrin Lotion 1% Permethrin Cream 5%
155.	Glycerin Oral liquid
156.	Petroleum Jelly 100%
Diagnostic agents	
157.	Lignocaine Eye drop 4% (Store in cool place.)
158.	Tropicamide Eye drop 1% (Store in a refrigerator (8 to 15°C). It should not be allowed to freeze)
159.	Cetrimide Solution 20% (Concentrate for dilution)
160.	Chlorhexidine Solution 5% (Concentrate for dilution)
161.	Ethyl alcohol (Denatured) (Store in a tightly closed container at a temperature not exceeding 30°C. Away from fire and protected from moisture.)
162.	Hydrogen peroxide Solution 6%
163.	Sodium Hypochlorite
164.	Povidone iodine Solution 4% to 10% Povidone iodine Solution 10% (equivalent to 1% available iodine)

S. No.	Medicine Name
165.	Bleaching powder Containing not less than 30% w/w of available chlorine (as per I.P) (Protect from moisture in a tightly closed container.)
166.	Potassium permanganate Crystals for topical solution
Diuretics Medicines	
167.	Furosemide Tablet 40 mg Furosemide Injection 10 mg/ml
168.	Hydrochlorothiazide* Tablet 12.5 mg Hydrochlorothiazide Tablet 25mg
169.	Spironolactone Tablet 25 mg
170.	Methyl Cellulose tablet/powder
171.	Ciprofloxacin Drops 0.3 % Ciprofloxacin Eye/Ear drops (Protect from light)
172.	Normal Saline nasal drop: sodium chloride drops 0.05% w/v
173.	Xylometazoline nasal drop: Pediatric (0.05) and adult (0.1%)
174.	Wax solvent ear drops: benzocaine, paradichlorobenzene, turpentine oil
175.	Boro-spirit ear drop-0.183 gm boric acid in 2.08 ml of alcohol
176.	Combo ear drop-Chloramphenicol 5% w/v + clotrimazole 1% +Lignocaine hydrochloride 2%
177.	Liquid paraffin-menthol drop: Menthol 10 gm +Eucalyptus 2 ml+ Camphor 10 mg+ liquid paraffin to 100 ml
Gastrointestinal medicines	
178.	Omeprazole Capsule 20 mg
179.	Ranitidine Tablet 150 mg Ranitidine Injection 25 mg/ml
180.	Pantoprazole 40mg Injection
181.	Sucralfate Tablet 10 mg Sucralfate Oral liquid 1 mg/ml
182.	Ondansetron Oral Liquid 2 mg base/5 ml; syrup 30 ml bottle Ondansetron tablet 4 mg Ondansetron Injection 2 mg/ml
183.	Metoclopramide Injection 5 mg/ml
184.	Domperidone Tablet 10 mg Domperidone Oral Suspension 1 mg/ml; 30 ml bottle or 5 ml drops containing 10 mg/ml
185.	Dicyclomine Tablet 10 mg (Injection: Protect from light, in single dose or multiple dose containers.) Dicyclomine Injection 10 mg/ml Dicyclomine Tablet 500 mg (Tablets: Protect from light)
186.	Hyoscine butyl bromide Injection 20 mg/ml
187.	Bisacodyl Tablet 5 mg Bisacodyl suppository 5 mg

S. No.	Medicine Name
188.	Zinc sulphate Tablet 20 mg Zinc sulphate Dispersible Tablet USP eq. to Elemental Zinc 20 mg
189.	Lactulose Oral liquid 10 g/15 ml
190.	Ispaghula- Granules/Husk/Powder (Protect from light and moisture)
191.	Senna tablet/granules/Powder (Protect from light and moisture)
Hormones, other endocrine medicines and contraceptives	
192.	Dexamethasone Injection 4 mg/ml. Dexamethasone Tablet 0.5 mg
193.	Methylprednisolone Tablet 4 mg Methylprednisolone Tablet 8 mg
194.	Prednisolone Tablet 5 mg, 10 mg
195.	Ethinylestradiol Tablet 0.01 mg Ethinylestradiol Tablet 0.05 mg
196.	Levonorgestrel Tablet 0.75 mg Levonorgestrel Tablet 1.5 mg
197.	Gliclazide Tablet 40mg
198.	Medroxyprogesterone acetate Tablet 5 mg Medroxyprogesterone acetate Injection 150 mg
199.	Family Planning medicines and commodities
Thyroid and Antithyroid medicines	
200.	Carbimazole Tablet 5 mg
201.	Levothyroxine Tablet 50 mcg, 100 mcg (Protect from light and moisture.)
Antidiabetic medicines	
202.	Glimepiride Tablet 1 mg/2 mg
203.	Insulin (Soluble) Injection 40 IU/ml ^{2,3}
204.	Metformin Tablet 500 mg ³ Metformin Controlled released 750 mg
205.	Premix Insulin 30:70 Injection (Regular: NPH) ^{2,3} Premix Insulin 30:70 Injection 40 IU/ml.
206.	Glibenclamide Tablet 2.5 mg/5 mg ³
207.	Norethisterone 5 mg Tablet
Immunological/Vaccines	
208.	Diphtheria antitoxin
209.	Hepatitis B immunoglobulin ⁷
210.	Snake venom antiserum* ⁷ Soluble/liquid polyvalent Lyophilized polyvalent
211.	BCG vaccine ⁷
212.	DPT + Hib + Hep B vaccine ⁷

S. No.	Medicine Name
213.	DPT vaccine ⁷
214.	Hepatitis B vaccine ⁷
215.	Japanese encephalitis vaccine ⁷ (In the selected districts only)
216.	Measles vaccine ⁷
217.	Oral poliomyelitis vaccine ⁷
218.	Tetanus toxoid ⁷
219.	Inactivated Polio Vaccine (IPV) ⁷
220.	Pneumococcal Conjugated Vaccine (PCV) ⁷
221.	Measles Rubella vaccine (MR) ⁷
222.	Rabies vaccine ⁷ Anti- Rabies Immunoglobulin
223.	As per current immunization programme guidelines (Stored as per manufacturer's instructions.)
224.	Vecuronium Powder for Injection 4 mg
Ophthalmological Medicines	
225.	Acyclovir Ointment 3%
226.	Atropine 1% Drops
227.	Gentamicin Drops 0.3% Gentamicin Injection 40 mg/ml
228.	Povidone iodine Drops 0.6% Povidone iodine Drops 5%
229.	Prednisolone Drops 0.1% Prednisolone Drops 1%
230.	Acetazolamide Tablet 250 mg
231.	Pilocarpine Drops 2% Pilocarpine Drops 4%
232.	Timolol Drop 0.5%
233.	Atropine Ointment 1%
234.	Homatropine Drops 2%
235.	Tropicamide Drops 1% (Store in a refrigerator (8 to 15°C). It should not be allowed to freeze)
236.	Carboxymethylcellulose Drops 0.5%
237.	Erythromycin 0.5% ointment
Oxytocic and Anxiolytics	
238.	Mifepristone Tablet 200 mg
239.	Misoprostol Tablet 100 mcg Misoprostol Tablet 200 mcg (oral/vaginal)
240.	Oxytocin Injection 5 IU/ml Oxytocin Injection 10 IU/ml
241.	Methylergometrine 0.125 mg Tablet Methylergometrine 0.2 mg/ml Injection

S. No.	Medicine Name
242.	Nifedipine Tablet 10 mg Nifedipine Soft gelatin Capsule 5 mg
Psychotherapeutic medicines	
243.	Chlorpromazine Tablet 100 mg
244.	Diphenylhydantoin Tablet 100 mg ³
245.	Fluphenazine Depot Injection 25 mg/ml
246.	Haloperidol Tablet 5 mg Haloperidol Injection
247.	Phenobarbitone Tablet 30 mg ¹ Phenobarbitone oral liquid 20 mg/5 ml ⁵
248.	Risperidone Tablet 2 mg.
249.	Olanzapine Tablet 5 mg
250.	Amitriptyline Tablet 25 mg Amitriptyline Tablet 75 mg
251.	Escitalopram Tablet 5 mg Escitalopram Tablet 10 mg
252.	Fluoxetine Capsule 20 mg
253.	Imipramine Tablet 75 mg Imipramine Tablet 25 mg
254.	Lithium Tablet 300 mg
255.	Clonazepam Tablet 0.25 mg
Medicines acting on the respiratory tract	
256.	Budesonide Inhalation (MDI/DPI) 100 mcg/dose Budesonide Respirator solution for use in nebulizer 0.5 mg/ml
257.	Budesonide (A)+ Formoterol (B) Inhalation (MDI/DPI) 100 mcg (A)+ 6 mcg (B) Inhalation (MDI/DPI) 200 mcg (A)+ 6 mcg (B) Inhalation (MDI/DPI) 400 mcg (A)+ 6 mcg (B)
258.	Combination of LABA+ICS (Formoterol, Salmeterol/Fluticasone) MDI, DPI (Protect from light, moisture and store at temperature not exceeding 30°C) (Protect from light, moisture and store at temperature not exceeding 30°C.)
259.	Etofylline B Plus (A), Anhydrous Theophylline IP (B) combination injection 84.7 mg/ml (A) + 25.3 mg/ml (B)
260.	Ipratropium Inhalation (MDI/DPI) 20 mcg/dose Ipratropium Respirator solution for use in nebulizer 250 mcg/ml.
261.	Levosalmamol 50 mcg/dose
262.	Salbutamol Tablet 2 mg/4 mg Salbutamol 100 mg/dose Salbutamol Oral liquid 2 mg/5 ml
263.	Theophylline Tablet (Protect from moisture.)

S. No.	Medicine Name
264.	Syrup Salbutamol Salbutamol Nebulizing solution.
265.	Tiotropium Inhalation (MDI) 9 mcg/dose Tiotropium Inhalation (DPI) 18 mcg/dose
266.	Deriphyllin SR Tablet
267.	Montelukast Tablet 5 mg Montelukast syrup
268.	N Acetyl Cystine Tablet 600 mg/Dispersible
269.	Betamethasone Injection 4 mg/ml
Solutions correcting water, electrolyte disturbances and acid-base disturbances	
270.	Dextrose IV Injection 5%w/v, 500ml
271.	Glucose Injection 5% Glucose Injection 10% Glucose Injection 25% Glucose Injection 50%
272.	Glucose (5%) + Sodium chloride (0.9%) Injection
273.	Hydroxyethyl Starch 6% IP (6% Saline solution for infusion)
274.	Oral rehydration salts* (ORS) Oral Rehydration powder 27.5 gm WHO Formula
275.	Potassium chloride Injection 150 mg/ml ² Potassium chloride Oral liquid 500 mg/5 ml
276.	Ringer lactate solution (as per IP)
277.	Sodium bicarbonate Injection (as per IP) ²
278.	Sodium Chloride 0.9%
279.	Water for Injection
Vitamins and minerals	
280.	Ascorbic acid (Vitamin C) Tablet 100 mg ⁷ Ascorbic acid (Vitamin C) Tablet 500 mg
281.	Calcium carbonate Tablet 250 mg Calcium carbonate Tablet 500 mg
282.	Calcium with Vitamin D tablets USP Syrup Calcium with Phosphate in the ratio 2:1 with Vitamin D Tablet Calcium Carbonate 650 mg equivalent to elemental calcium 250 mg and Cholecalciferol USP 125 mg
283.	Cholecalciferol Granules 60,000 IU in Sachet ⁷ Cholecalciferol Injection of 6,00,000 IU Vitamin D3 60,000 granules in 1gm sachet
284.	Nicotinamide Tablet 50 mg ⁷
285.	Multivitamin Tab/Cap
286.	Pyridoxine Tablet 40 mg ⁷ Pyridoxine Tablet 50 mg Pyridoxine Tablet 100 mg

S. No.	Medicine Name
287.	Riboflavin Tablet 5 mg ⁷
288.	Thiamine Tablet 100 mg ⁷ Thiamine Injection 100 mg/ml
289.	Vitamin A Oral liquid 100000 IU/ml ⁷
Dental restorative materials and medicines	
290.	Zinc Oxide Eugenol
291.	Silver Amalgam
292.	Glass ionomer cement (GIC)
293.	Calcium Hydroxide
294.	Sodium Hypochlorite*
295.	Gutta Percha (GP)
296.	Light Cure composite
297.	Ketorolac 10 mg tablet
298.	Gum Paint (Tannic Acid)
299.	Povidone-iodine Germicide Gargle 20% w/v
300.	Toothpaste (Potassium Nitrate)

Above list is suggestive only. This needs to be updated periodically as per newer evidence and guidelines.

Remarks^x- This is not all inclusive, users are advised to refer standard textbooks, guidelines and manufacturer's instructions- regarding storage.

Schedule X¹- Prescription shall be in duplicate and one copy of which shall be retained by the licensee for a period of two years.

High Alert Medicine²- Drugs that bear a heightened risk of causing significant patient harm when they are used in error.

Schedule G³ - Caution: it is dangerous to take this preparation except under medical supervision.

Schedule H1⁴ - Separate H1 Register shall be maintained- Name of prescriber, patient name, medicine name and dispensed quantity shall be recorded.

NDPS⁵ - Narcotic Drugs and Psychotropic Substances.

Controlled medicine under NDPS⁶ - Shall store and dispense against respective Form No. 3D, 3E and 3H. It shall also be preserved for a minimum period of two years from the date of last entry: -

- Form No. 3D** - Shall maintain day to day accounts in respect of all transactions of essential narcotic drugs in the sub-storage room of wards/departments/sub- departments.
- Form No. 3E** - Shall maintain record of each patient, whom essential narcotic drugs are being dispensed.
- Form No. 3H** - Shall maintain record of essential narcotic drugs at the main drug storage room.
 - **Schedule P⁷**- Life Period of drugs.
 - * - Medicines are categorized under different therapeutic categories

